



Honeywell

You are browsing the product catalog for

Vietnam



Scheduled Maintenance:

This site will be down for scheduled maintenance on Sunday, Feb 9th, from 1 AM to 11 AM EST (6 AM to 4 PM GMT, 7 AM to 5 PM CET, 11:30 AM to 9:30 PM IST). We appreciate your patience during this time.



GENERAL PURPOSE GLOVES

NorthFlex Light Task Plus 3™

NorthFlex Light Task Plus 3™

Overview



The NorthFlex Light Task Plus 3™ is a lightweight 13 gauge glove that has polyurethane coating; This glove is made from a Dyneema® fiber liner which offers good protection from cuts.

Specifications

OTHERS

Glove Gauge

- 13

Abrasion Resistance

- EN388: 2003 Level 4

Feedback

Standards & Certifications

- ASTM D3389-05; ASTM F1790-97; EN388; EN420; OSHA 29 CFR 1915.157

Puncture Resistance

- EN388: 2003 Level 3

Palm Material

- Polyurethane

Material

- Dyneema; Polyurethane

Lining Material

- Dyneema

Liner Type

- Gray Dyneema seamless liner.

Grip Pattern

- Full Palm; Fingers

Glove Type

- Cut-Resistant Gloves

Glove Dexterity Rating

- Class 4

Cut Resistance

- ANSI/ISEA 105-2005 Level 1; EN388: 2003 Level 3

Cuff Style

- Knit

Coating Color

- Gray

Feedback

Product Number



Please sign in to view part numbers available for purchase based on your account

Sign In

NFD16G/10XL

13 Spectra® Fiber and nylon blend Gray heather Polyurethane Palm & Fingertips Gray

NFD16G/11XXL

13 Spectra® Fiber and nylon blend Gray heather Polyurethane Palm & Fingertips Gray

NFD16G/7S

13 Spectra® Fiber and nylon blend Gray heather Polyurethane Palm & Fingertips Gray

NFD16G/8M

13 Spectra® Fiber and nylon blend Gray heather Polyurethane Palm & Fingertips Gray

NFD16G/9L

NP D100/SL

13 Spectra® Fiber and nylon blend Gray heather Polyurethane Palm & Fingertips Gray

Honeywell
Industrial Automation
855 S Mint St
Charlotte, NC 28202
800-582-4263

Product name
© Current year Honeywell International Inc.
All rights reserved.

This document was generated on (YYYY-MM-DD, HH:mm:ss). Subject to change without notice.